



JuanMing

Whatsapp:+86 15322252590

Email:cngzkm88@gmail.com

Wechat:+86 15322252590



PRODUCT CATALOG

Guangzhou Kengming
Trading Co., Ltd

Bingsu Machine
Ice cream Machine
Japanese Teppanyaki

COMPANY PROFILE

Guangzhou KengMing Trading Co., Ltd. is a professional producer of commercial Western food equipment.

The products cover high-end kitchen engineering equipment, snack equipment and refrigeration equipment.

Our main sales products include ice machines, ice cream machines, snow ice machines, electric teppanyaki, etc.

In order to ensure the quality of our products, we use advanced equipment and strict production processes for production.



Our goal is to provide excellent service, high quality products, favorable prices and the shortest delivery time to our customers around the world.



ICE CREAM MACHINE

The JuanMing ice cream machines adopt a digital dual speed ice making design, humanized lifting design, and extremely delicate European style high-quality craftsmanship. The visual operation panel makes it easier for you to operate the machine. The stainless steel body has a long service life and is anti

fouling, with fast cooling speed, fast ice cream formation, exquisite appearance, and powerful functions, easily meeting the needs of large passenger flow. The reasonable design of the body can save space.



milk



mix



chocolate



PRODUCT FEATURES

1.Colorful screen display, easy operation

Using a colorful display panel, the ice cream production process is demonstrated in detail, making it more intuitive and easy to learn how to operate

2.Good taste,high puffing

There is a built-in highpressure puffing pump in the machine,which feeds air into into the freezing cylinder to make ice cream deeply puffed,making the ice cream more soft,smooth,and delicious,while saving materials and increasing production

3.Intelligent control

Automatic control with discharge counting function. The ice cream hardness can be adjusted at any time.

4.Brand compressorand Fast cooling

Brand compressor make starting cooling time be shorter, and the first ice cream is discharged quickly.

4.Easy to clean


The mixing tank has a unique circular arc angle for cleaning and machine can automatic cleaning, keeping the ice cream clean and hygienic



BRAND COMPRESSOR



STAINLESS STEEL HANDLE



OPERATION PANEL

JM-S20AB
Table top machine
Mix Hopper:4.3L*2
Cylinder:1.5L*2

JM-S28AB
Table top machine
Mix Hopper:4.3L*2
Cylinder:1.8L*2



○ JM-S20AB ○ JM-S28AB

JM-S20B
Stand machine
Mix Hopper:4.3L*2
Cylinder:1.5L*2



○ JM-S20B

Mark: Voltage default 220V/50HZ
customizable 220V/60HZ, 110V/60HZ



Note:Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-S20AB	220V/50HZ	1700W	85KG	Air cooling	18-20L/H	R22/R404a R410	504*608*850
Ice cream machine	JM-S20B	220V/50HZ	1700W	92KG	Air cooling	18-20L/H	R22/R404a R410	504*608*1177
Ice cream machine	JM-S28AB	220V/50HZ	1950W	90KG	Air cooling	22-28L/H	R22/R404a R410	540*720*850

JM-S28B
Stand machine
Mix Hopper:4.3L*2
Cylinder:1.8L*2

JM-S42B
Stand machine
Mix Hopper:6L*2
Cylinder:2.2L*2

JM-S42AB
Table top machine
Mix Hopper:6L*2
Cylinder:2.2L*2



○ JM-S42AB



○ JM-S28B

○ JM-S42B

Mark: Voltage default 220V/50HZ
customizable 220V/60HZ, 110V/60HZ



Note:Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-S28B	220V/50HZ	1950W	97KG	Air cooling	22-28L/H	R22/R404a R410	540*720*1380
Ice cream machine	JM-S42AB	220V/50HZ	2650W	95KG	Air cooling	42-48L/H	R22/R404a R410	610*816*850
Ice cream machine	JM-S42B	220V/50HZ	2650W	102KG	Air cooling	42-48L/H	R22/R404a R410	610*816*1480

JM-S16E
Table top machine
Mix Hopper:6L
Cylinder:1.5L



JM-S16E White



JM-S16E Red



JM-S16E Orange

Mark: Voltage default 220V/50HZ
customizable 220V/60HZ, 110V/60HZ



Note: Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-S16E	220V/50HZ	1KW	50KG	Air cooling	16-18L/H	R404a	220*660*720